


राष्ट्रीय अंटार्कटिक एवं  
समुद्री अनुसंधान केन्द्र  
पृथ्वी विज्ञान मंत्रालय  
भारत सरकार)  
हेड लैण्ड सडा, वास्को डा गामा  
गोवा- ४०३ ८०४ भारत



NATIONAL CENTRE FOR  
ANTARCTIC & OCEAN RESEARCH

Ministry of Earth Sciences  
Government of India)  
Headland Sada, Vasco da Gama  
Goa - 403 804 - INDIA

**Telefax No.: +91 832 2525573**

**E-mail:warlu62@ncaor.gov.in**

**PROCUREMENT SECTION**

**FOREIGN ENQUIRY**

M/s.

Ref. No.:

**AES-11268**

Date:

**28.07.2014**

Due Date:

**19.08.2014**

Dear Sir,

We require the following items for XXXIV Indian Antarctic Expedition. You are requested to send your offer for the following items as per the terms and conditions mentioned below and in Annexure I.

| SL. NO. | Description   | Qty                            |
|---------|---|--------------------------------|
| 1.      | Kassbhorer<br><b>Spares for Pisten Bully Vehicles<br/>(As per Annexure-I)</b> | <b>(As per<br/>Annexure-I)</b> |

**Your offer should contain the following information:**

1. Please submit your quotation on CIF basis upto IHC Cape Town by Air/Sea should be indicated. The quotation should contain item wise prices, including total Ex-works price and cost of packing, forwarding, insurance and Air freight charges/Sea freight charges.
2. Delivery Period:
3. Validity of quotation:
4. Quantity/Trade discounts, if any. :
5. Guarantee/Warranty of the product:
6. Taxes applicable (VAT if any):
7. Specify Brand/Make/Model of the item:
8. Enclose brochure/leaflet – Specification:
9. Mode of payment acceptable to you: Our normal payment terms by sight draft through our Bankers State Bank of India, Commercial Br., Vasco-Da-Gama, Goa-403 802 India or Irrevocable Letter of Credit (L/C). If you insist payment by Letter of Credit (L/C). Please provide detailed instructions.
10. Mode of payment acceptable to you: Our normal payment terms by sight draft through our Bankers State Bank of India, Commercial Br., Vasco-Da-Gama, Goa- 403 802 India or Irrevocable Letter of Credit (L/C). If you insist payment by Letter of Credit (L/C). Please provide detailed instructions.

**NOTE: Please enclose a copy of valid Authorized Dealership/Distributor Certificate obtained from OEM. Quotation received without valid authorization certificate will be rejected.**

**Also confirm “the rates quoted by you are reasonable and lowest charged and are not exceeding the lowest rates charged to any other clients”**

Director, NCAOR reserves the right to reject any quotation received without assigning any reasons.

**Yours faithfully,**

**Annexure-I**

| Sr. No | Item Description                        |  | Quantity |     |
|--------|---|--|----------|-----|
|        | <b>Spares for PISTON BULLY Vehicles</b> |  |          |     |
| 1      | 0.011.310.003.0                         | Thermag Nut  | 50       | Pcs |
| 2      | 0.026.012.009.0                         | Flat Plug-In Fuse                                    | 10       | Pcs |
| 3      | 0.100.912.211.0                         | Cylinder Head SCR                                    | 01       | Pc  |
| 4      | 0.107.603.036.0                         | Seal Ring  | 50       | Pcs |
| 5      | 0.107.603.053.0                         | Sealing Ring (as a replacement for 7.375.111.000.0)  | 20       | Pcs |
| 6      | 7.375.197.000.0                         | Miniature Relay                                      | 01       | Pc  |
| 7      | 4.523.035.000.0                         | Coolant Hose (as a replacement for 4.521.070.100.0)  | 02       | M   |
| 8      | 4.525.368.000.0                         | Maximun-Pressure hose                                | 02       | PC  |
| 9      | 4.525.887.000.0                         | Hose Line  | 02       | Pc  |
| 10     | 4.525.906.000.0                         | Hose Line  | 02       | Pc  |
| 11     | 4.525.958.000.0                         | Hose Line  | 02       | Pc  |
| 12     | 4.768.992.005.0                         | V-Belt Kit (as a replacement for 4.766.776.102.0)    | 06       | YSZ |
| 13     | 4.768.993.015.0                         | V-Belt Kit (as a replacement for 4.766.773.103.0)    | 02       | YSZ |
| 14     | 7.586.207.000.0                         | Light Bulb (as a replacement for 7.586.202.000.0)    | 20       | Pcs |
| 15     | 6.691.122.001.0                         | Bevel Roller Bear                                    | 02       | Pcs |
| 16     | 6.691.166.000.0                         | Bevel Roller Bear                                    | 02       | Pcs |
| 17     | 6.691.298.000.0                         | Bevel Roller Bear                                    | 01       | Pc  |
| 18     | 6.695.217.000.0                         | Joint Bearing (as a replacement for 6.695.030.010.0) | 02       | Pcs |
| 19     | 6.840.010.000.0                         | Hose Clamp (as a replacement for 6.837.211.100.0)    | 10       | Pcs |
| 20     | 7.345.042.000.0                         | Ignition / Starter Stch                              | 02       | Pcs |
| 21     | 7.375.125.000.0                         | Relay  | 02       | Pcs |
| 22     | 7.375.161.000.0                         | Relay  | 02       | Pcs |
| 23     | 7.711.119.000.0                         | Signal Horn  | 02       | Pcs |
| 24     | 7.731.000.190.0                         | Wiper Arm  | 05       | Pcs |
| 25     | 7.731.000.281.0                         | Wiper Blade (as a replacement for 7.731.000.191.0)   | 05       | Pcs |
| 26     | 7.731.000.197.0                         | Wiper Blade  | 04       | Pcs |
| 27     | 8.011.562.790.0                         | Lock   | 02       | Pcs |
| 28     | 8.046.039.000.0                         | Hand Pump  | 02       | Pcs |
| 29     | 8.212.332.000.0                         | Hydraulic Cylinder                                   | 02       | Pcs |
| 30     | 8.216.406.192.0                         | Filter Element                                       | 02       | Pcs |
| 31     | 8.216.540.319.0                         | Filter Cartridge                                     | 02       | Pcs |
| 32     | 8.233.161.000.0                         | Gas Filled Spring / Supp                             | 04       | Pcs |
| 33     | 8.241.999.676.0                         | Wheel Fix Bolt                                       | 06       | Pcs |
| 34     | 8.241.999.816.0                         | Wheel Hub  | 01       | Pc  |
| 35     | 8.241.998.017.0                         | Wheel Hub (part of set-pos: 034)                     | 01       | Pc  |
| 36     | 8.241.998.010.0                         | Spring Washer (part of set-pos: 034)                 | 06       | Pc  |
| 37     | 0.174.361.058.0                         | Flat Collar Nut (part of set-pos: 034)               | 06       | Pcs |
| 38     | 8.311.999.137.0                         | Filter Element                                       | 02       | Pcs |
| 39     | 8.312.000.301.0                         | Filter Cartridge                                     | 02       | Pcs |

|    |                    |  |    |     |
|----|--------------------|--|----|-----|
| 40 | 8.319.086.094.0    | Filter Cartridge   | 04 | Pcs |
| 41 | 8.322.173.000.0    | Planet Gear Unit   | 01 | Pc  |
| 42 | 8.322.230.000.0    | Planet Gear Unit (part of Set-pos: 037)                  | 02 | Pcs |
| 43 | 8.322.185.423.0    | O-Ring   | 04 | Pcs |
| 44 | 8.322.187.542.0    | Fully FLTG HSHFT   | 01 | Pc  |
| 45 | 8.311.998.711.0    | Sealing Compound   | 10 | Pcs |
| 46 | 8.351.000.198.0    | Filler Cap   | 02 | Pcs |
| 47 | 8.351.000.198.0    | Filler Cap   |    | Pc  |
| 48 | 4.741.073.000.0    | Rubber Elbow   | 05 | Pc  |
| 49 | 8.743.803.000.0    | Telethermometer  | 01 | Pc  |
| 50 | 8.743.805.000.0    | Fuel Gauge   | 01 | Pc  |
| 51 | 8.749.096.000.0    | Feinverstellung (as a replacement for 8.743.943.000.0)   | 02 | Pcs |
| 52 | 8.749.103.000.0    | Gaszug (as a replacement for 8.743.905.000.0)            | 01 | Pc  |
| 53 | 813.29.30.142.50.0 | Spikes   | 50 | Pcs |
| 54 | 815.65.31.200.01.0 | Engine Bonnet  | 01 | Pc  |
| 55 | 825.25.81.120.01.0 | Driving Wheel  | 06 | Pcs |
| 56 | 0.026.012.007.0    | Flat Plug-In Fuse  | 10 | Pcs |
| 57 | 0.026.012.005.0    | Flat Plug-in Fuse  | 10 | Pcs |
| 58 | 8.013.060.006.0    | Inner Doorhandle   | 02 | Pcs |
| 59 | 7.471.154.108.0    | Battery (as a replacement for 7.471.054.002.0)           | 04 | Pcs |
| 60 | 8.749.105.000.0    | Stop Cable (as a replacement for 8.743.907.000.0)        | 02 | Pcs |
| 61 | 6.837.126.000.0    | Hose Clamp   | 10 | Pcs |
| 62 | 0.026.012.005.0    | Flat Plug-In Fuse  | 10 | Pcs |
| 63 | 0.026.012.008.0    | Flat Plug-In Fuse  | 10 | Pcs |
| 64 | 0.107.603.033.0    | Seal Ring  | 20 | Pcs |
| 65 | 0.107.603.055.0    | Seal Ring  | 30 | PCS |
| 66 | 0.200.937.019.0    | Castle Nut   | 04 | Pcs |
| 67 | 0.921.782.000.0    | Sealing Compund  | 05 | YPC |
| 68 | 4.342.177.000.0    | Synthetic Mat pipe                                       | 10 | M   |
| 69 | 4.525.846.000.0    | Hose Line  | 05 | Pc  |
| 70 | 4.529.042.000.0    | Hose Line  | 05 | Pc  |
| 71 | 4.529.045.000.0    | Hose Line  | 04 | Pcs |
| 72 | 4.529.129.000.0    | Hose Line  | 04 | Pcs |
| 73 | 4.529.424.000.0    | Hose Line  | 04 | Pcs |
| 74 | 4.529.430.000.0    | Hose Line  | 05 | Pcs |
| 75 | 4.529.551.000.0    | Hose Line  | 04 | Pcs |
| 76 | 4.529.800.000.0    | Hose Line  | 04 | PCS |
| 77 | 4.751.274.320.0    | Shaft Oil Seal RG  | 04 | Pcs |
| 78 | 4.753.094.000.0    | O-Ring   | 06 | Pcs |
| 79 | 4.753.440.000.0    | O-Ring   | 10 | Pcs |
| 80 | 4.754.202.000.0    | Bearing Ring Seal (as a replacement for 4.753.925.000.0) | 06 | Pcs |
| 81 | 8.311.998.966.0    | Fuel-Water Separator                                     | 04 | Pcs |
| 82 | 6.333.181.000.0    | Screw Plug   | 05 | Pcs |
| 83 | 6.691.122.001.0    | Bevel Roller Bear  | 04 | Pcs |
| 84 | 6.691.292.000.0    | Bevel Roller Bear  | 16 | Pcs |
| 85 | 6.691.532.000.0    | Bevel Roller Bear  | 16 | Pcs |
| 86 | 6.827.002.000.0    | Spikes   | 60 | Pcs |
| 87 | 6.835.028.000.0    | Hose Collar  | 02 | Pcs |
| 88 | 6.835.030.000.0    | Hose Collar  | 02 | Pcs |
| 89 | 7.226.014.000.0    | Battery Conn Term  | 10 | Pcs |

|     |                    |   |         |     |
|-----|--------------------|---|---------|-----|
| 90  | 7.226.015.000.0    | Battery Conn Term                                       | 10      | Pcs |
| 91  | 7.235.109.000.0    | Plug Socket   | 06      | Pcs |
| 92  | 7.341.110.000.0    | Battery Isolating Switch                                | 02      | Pcs |
| 93  | 7.345.043.000.0    | Ignition/Starter Stch.                                  | 02      | Pcs |
| 94  | 7.471.160.002.0    | Battery (as a replacement for 7.471.023.106.0)          | 04      | Pcs |
| 95  | 7.583.036.000.0    | Filament Bulb   | 04      | Pcs |
| 96  | 7.586.206.000.0    | Filament Bulb   | 10      | Pcs |
| 97  | 7.731.000.281.0    | Wiper Blade (as a replacement for 7.731.000.191.0)      | 04      | Pcs |
| 98  | 7.731.000.257.0    | Wiper Arm   | 02      | Pcs |
| 99  | 7.761.088.000.0    | Radio (as a replacement for 7.761.077.000.0)            | 01      | Pc  |
| 100 | 8.216.540.319.0    | Filter Cartridge  | 02      | Pcs |
| 101 | 8.216.785.510.0    | Cover   | 05      | Pcs |
| 102 | 8.241.998.084.0    | Radius Arm  | 02      | PCs |
| 103 | 8.241.999.992.0    | Wheel Hub   | 01      | Pc  |
| 104 | 8.311.998.966.0    | Fuel-Water Separator                                    | 02      | Pcs |
| 105 | 8.312.091.017.0    | Oil Dipstick  | 02      | Pcs |
| 106 | 8.312.088.007.0    | Filter Element  | 04      | Pcs |
| 107 | 8.312.088.010.0    | Sender Unit   | 03      | Pcs |
| 108 | 8.312.088.099.0    | Filter Element  | 04      | Pcs |
| 109 | 8.312.088.193.0    | Gasket  | 04      | Pcs |
| 110 | 8.312.091.024.0    | Cyl Head Gasket   | 04      | Pcs |
| 111 | 8.312.091.027.0    | Gasket  | 02      | Pcs |
| 112 | 8.312.094.004.0    | V-Belt  | 02      | Pcs |
| 113 | 8.312.097.022.0    | Cap   | 02      | Pcs |
| 114 | 8.319.098.117.0    | PB300DC Filter Cartridge                                | 04      | Pcs |
| 115 | 8.322.185.000.0    | Planet Gear Unit  | 01      | Pc  |
| 116 | 8.322.185.423.0    | O-Ring  | 04      | Pcs |
| 117 | 8.351.000.206.0    | Filler Cap  | 02      | Pcs |
| 118 | 8.743.590.000.0    | Oil Pressure Guage Sender Unit                          | 02      | Pcs |
| 119 | 8.749.380.000.0    | Snow Flap Guage (as a replacement for 8.749.240.000.0)  | 02      | Pcs |
| 120 | 8.754.662.000.0    | Radial Blower Air Con                                   | 02      | Pcs |
| 121 | 825.24.10.100.13.0 | Running Wheel   | 04      | Pcs |
| 122 | 825.24.10.110.06.0 | Tension Wheel (as a replacement for 825.24.10.120.06.0) | 04      | Pcs |
| 123 | 825.29.37.770.22.0 | Track Lock  | 10      | Pcs |
| 124 | 825.29.37.730.22.0 | Lock Plate CPL. (part of Set-Pos: 118)                  | 10      | Pcs |
| 125 | 0.501.664.022.0    | Hexagon Nut (part of Set-Pos: 118)                      | 30      | Pcs |
| 126 | 825.29.37.772.19.0 | Lock Plate  | 10      | PCs |
| 127 | 825.29.37.780.22.0 | Track Lock  | 10      | Pcs |
| 128 | 825.29.37.740.22.0 | 150 mm Lock Plate (part of Set-Pos: 120 )               | 10      | Pcs |
| 129 | 0.501.664.022.0    | Hexagon Nut (part of Set-Pos: 120)                      | 20      | Pcs |
| 130 | 825.29.37.782.19.0 | Lock Plate  | 10      | Pcs |
| 131 | 825.29.94.161.08.0 | Hexagonal Screw   | 10<br>0 | Pcs |
| 132 | 825.61.60.210.50.0 | Main Mirror (as a replacement for 825.67.10.111.13.0)   | 02      | Pcs |
| 133 | 8.688.105.000.0    | Main Mirror left (part of Set-Pos: 123)                 | 02      | Pcs |
| 134 | 8.688.105.262.0    | Connecting Cable (part of Set-Pos: 123)                 | 02      | Pcs |
| 135 | 825.61.60.220.50.0 | Main Mirror (as a replacement for 825.67.10.112.13.0)   | 02      | Pcs |
| 136 | 8.688.106.000.0    | Main Mirror Right (part of Set-Pos: 124)                | 02      | Pcs |
| 137 | 8.688.105.262.0    | Connecting Cable (part of Set-Pos: 124)                 | 02      | Pcs |
| 138 | 0.107.603.055.0    | Seal Ring   | 02      | Pcs |
| 139 | 4.521.018.100.0    | Cooling Water Hose (as a replacement for 4.521.018.00   | 4       | M   |

|     |                    |  |         |     |
|-----|--------------------|--|---------|-----|
| 140 | 4.521.227.000.0    | Hose   | 05      | M   |
| 141 | 6.827.002.000.0    | Spikes   | 10<br>0 | Pcs |
| 142 | 6.840.031.000.0    | Hose Collar W. Disc Spring                           | 10      | Pcs |
| 143 | 6.840.035.000.0    | Hose Collar W. Disk Spring                           | 10      | Pcs |
| 144 | 6.837.129.000.0    | Hose Clamp (as a replacement for 6.840.038.000.0)    | 10      | Pcs |
| 145 | 7.375.201.000.0    | Miniature Relay                                      | 02      | Pcs |
| 146 | 7.471.160.002.0    | Battery (as a replacement for 7.471.023.000.0)       | 02      | Pcs |
| 147 | 8.216.540.319.0    | Filter Cartridge                                     | 05      | Pcs |
| 148 | 8.216.785.505.0    | Filter Cartridge                                     | 04      | Pcs |
| 149 | 8.312.091.025.0    | Temperature Sender Unit                              | 01      | Pc  |
| 150 | 8.319.095.116.0    | PB300P Filter Cartridge                              | 05      | Pcs |
| 151 | 8.322.231.629.0    | Radial Seal Ring                                     | 02      | Pcs |
| 152 | 8.322.238.000.0    | Planet Gear Unit                                     | 02      | Pcs |
| 153 | 8.357.000.044.0    | Tens Pully   | 01      | Pc  |
| 154 | 8.383.347.000.0    | Torsion Damper                                       | 01      | Pc  |
| 155 | 8.441.367.889.0    | Heating Cartridge                                    | 02      | Pcs |
| 156 | 8.754.662.000.0    | Radial Blower Air Con                                | 02      | Pcs |
| 157 | 825.24.10.100.13.0 | Running Wheel  | 05      | Pcs |
| 158 | 825.24.10.110.06.0 | Tension Wheel  | 02      | Pcs |
| 159 | 825.25.08.380.13.0 | Driving Gear Plastic Z=15 Install Set                | 02      | Pcs |
| 160 | 825.25.08.370.13.0 | Driving Gear Plastic Z=15 CPL. (part Set-Pos: 146)   | 02      |     |
| 161 | 825.25.08.381.13.0 | Support Ring (part of Set-Pos: 146)                  | 02      | Pcs |
| 162 | 0.011.052.041.0    | Verbus Rib Screw (part of Set-Pos: 146)              | 48      | Pcs |
| 163 | 825.29.37.730.22.0 | Lock Plate Cpl.                                      | 02      | Pcs |
| 164 | 826.29.90.625.08.0 | Tire Guide (as a replacement for 825.29.90.625.08.0) | 10<br>0 | Pcs |
| 165 |                    | SMT -430589041500-50-90 seal instaler                | 02      | Pcs |
| 166 |                    | Track Clamp  | 02      | Pcs |