


राष्ट्रीय अंटार्कटिक एवं
समुद्री अनुसंधान केन्द्र
पृथ्वी विज्ञान मंत्रालय
भारत सरकार)
हेड लैण्ड सडा, वास्को डा गामा
गोवा- ४०३ ८०४ भारत



**NATIONAL CENTRE FOR
ANTARCTIC & OCEAN RESEARCH**

Ministry of Earth Sciences
Government of India)
Headland Sada, Vasco da Gama
Goa - 403 804 - INDIA

Tel/Fax No.: 0091 0832 2525573

(□ □ □ □ □ □ □ □ □ □)

INDIGENOUS ENQUIRY

Ref. No.:

ORVSC-0184

Date:

12.12.2017

Due Date:

04.01.2018

M/s.

Dear Sirs,

You are requested to send your offer in your official letter head (to be quoted in the price bid format as at Annexure-II) on F.O.R NCAOR, Vasco-Da-Gama basis for the following items as per the terms and conditions mentioned in Annexure-I.

SR. NO.	ITEM DESCRIPTION	QUANTITY
	Supply & Installation of Modular Furniture Model as offered with the specifications as below:	
1.	Supply providing and installation of Spacio plus- tile based modular workstation of size, <ul style="list-style-type: none">• a)Penta workstation -1350 mm W1 x 1350mm W2 x 600mm d.-06 nos with following specifications: Providing and placing SPACIO PLUS tile based modular workstation, with partition thickness as 50mm thk and ht-1190 including powder coated aluminium trims Titles: Combination of tops tiles and fabric magnetic tile. Bottom tiles- Plain metal Wire Management -Skirting level raceway maintained in all panels and intermediate raceway below worktop. Side panels - out of 25mm thk prelam particle board with flat pvc lipping edge banding considered only on end and shared conditions. Worksurface -out of 25mm thk prelam particle board with flat PVC lipping edge banding of size 1350mm W1 x 1350mm W2 x 600mmd. Pedestals -Nova pedestal flat metal front, full ht free standing central locking of size 390mm W x 435mm d x 646mm ht 3dr=2 box +1 file CPU trolley -with castors KBPT with mouse tray -metal along with below, <ul style="list-style-type: none">• Nova metallic mobile pedestal (free standing BBF(Box+Box+filling) of size 390mm w x 585mmd x 646 mmht• Metal CPU trolley with castor• Metal key boar tray with mouse tray (KBPT)	06
	Each work station (Recta and Penta) should also be provided with	

	Electrical work per WS:- 06 module plate Roma-2 Nos.; 6A switch Roma-4 Nos.; 6A Socket Roma -4 Nos.; LAN Point-2 Nos. Other electrical fittings required:-CAT-6 wire with casing patti-50* Mtrs per workstation; Laying of Ups wire 3 x 4 Sq mm with casing patti-60* Mtrs; Considered for all workstations within the room;single pole M.C.B 16A(Legrand)-3 Nos within the room; 2pole M.C.B 32A (Wipro)-1 nos. Within the room; 8 way DB single phase-1Nos.Within the room	
2	Recta Workstation (Meeting Table)- 1500W x 900D mm with following specifications: Providing and placing LINEA DESK based modular workstation with system ht-750mm Understructure: Comprising of metal powder coated cross connectors between legs, legs made of metal powder coated finish and the entire assembly is fixed to the worktop with the help of ABS plastic spacers 20mm high which gives the floating look to the w/s Worksurface-out of 25mm thk prelam particle board with flat pvc lipping edge banding of size 1500MM W x 900 MMD	01 No
3	Wall mounting storages:-	
a	Store Up Total Size: 3900w (900 *4 + 300*1) x 326D x 785H	01 No
b	Store up Total size: 1500w(600*2 +300*1)x 326D x 785H	01 No
c	Store up Total size: 2400w(600*4) x 326D x 785H	01 No
d	Store up Total size: 3000w(900*3 +300*1)x 326D x 785H	01 No
4	Storwel plain Size: 1200W (400+800) x 400D x 2025H	02 Nos
5	Regency medium back seat (PCH-7002) with seat and backrest are made up pf molded polyurethane foam of right density and thickness, pneumatic height adjustable,center tilt mechanism, tilt locking system and with twin wheel castor Deminsions: Seat height from floor minimum 440mm and maximum 565mm,back ht. from floor minimum 805mm-maximum 925mm, seat depth 750mm , seat width (arms outer) 750mm, back ht. from seat 480mm and back width 430mm	08 Nos
	Drawing as per Annexure III	

Your offer should contain the following information:

1. Terms of Price: To be quoted as per price bid format at Annexure -II.
2. Validity period of quotation: 90 days from due date.
3. Delivery within 30 days, Please indicate delivery date.
4. Mode of Dispatch: Door delivery to NCAOR, Vasco-Da-Gama, Goa.
5. 'C' / 'D' form is not available; Copy of Registration certificate for GST and PAN card to be provided.
6. Specify Brand/Make Model of the quoted item (Catalogue, brochures & leaflets etc. of the quoted item to be enclosed)
7. Warranty: One year

Yours faithfully
Sd/-
Joint Manager (Procurement & Stores)
For and on behalf of Director, NCAOR

PURCHASE ENQUIRY – GENERAL TERMS AND CONDITIONS

1. This quotation and any order resulting from this Enquiry shall be governed by Terms and Conditions mentioned in this enquiry.
2. Where counter terms and conditions of business have been offered by this supplier, we shall not be deemed to be governed by these unless our specific written/ acceptance thereof has been given.
3. No conditions and terms notice of which has not been given by the Supplier while submitting quotation will be considered by us if put forward in subsequent correspondence.
4. **Quotation:** Quotation should be submitted in single bid in a sealed envelope super scribed with Enquiry Number and Due Date and the same must reach our office on or before the Due Date. Quotations should preferably be typed and without any corrections and over writings.
5. **Specifications:** Materials should be offered strictly conforming to our specification. The deviation in specification if any should be clearly indicated by the supplier in his quotation. The supplier should also indicate make/type No. of the materials offered. Vague terms such as Best Indian, Best Indigenous. Imported Make should not be used.
6. The rate quoted against each should be in units stated in the Enquiry. Where quotations are in terms of units other than those specified, relationship between the two sets of units must be furnished.
7. **Samples:** Samples where asked for shall be submitted, free of all charges and should reach us before the Due Date of the Enquiry. Sample must be carefully packed and labeled clearly with enquiry No. & due date. We shall not be responsible in any way for the loss or damage of samples due to any reasons whatsoever. In the event of the non-acceptance of offer, supplier will have to remove the samples at his own expenses.
8. **Terms of prices:** Quotation should be submitted on F.O.R. Vasco or F.O.R. Destination price including transit Insurance. Preference will be given to such quotations. For quotations Ex-Works, Ex-godown/F.O.R. Dispatching Station, the approximate packing, forwarding & freight should be indicated by the supplier. Quotations from Local Suppliers should be delivered at our stores.
9. **Validity:** The quotation should remain valid for a minimum period of 90 days from the Due Date of the Enquiry.
10. **Sales Tax: NCAOR is not entitled to issued Form C or D.** No Sales Tax or any other tax shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their quotation and same is legally leviable.
11. **NCAOR is exempted from payment of Custom duty as per Government notification.**
12. **Duties / Taxes:** Approximate percentage to be charged should be clearly mentioned in the quotation.
13. **Insurance:** The supplier will be responsible for and should cover the insurance for all transit risks if the terms of prices are F.O.R. Vasco or F.O.R. Destination unless otherwise stated specifically by the supplier in his quotation.
14. **Delivery:** Preference will be given to Ex-Stock offers Suppliers submitting quotation on forward delivery basis must indicate earliest firm delivery date by which the materials will be dispatched by them from the date of receipt of order. Offer such as "Ex-stock Subject to prior Sale" or "Delivery at the earliest" may not be entertained.
15. **Inspection:** Material on its arrival at our site will be inspected by our Inspection Department and their decision in the matter will be considered final and binding on the Supplier.
16. **Payment:** Payment for accepted quantity will be made as agreed to while placing order. Discount, Rebate, if any, for early Payment should be clearly stated.
17. Director NCAOR reserves the right to reject any or all the offers received or to accept any offer wholly or in a part of order of a lesser quantity without assigning any reason. The tenders shall be bounded to execute such an order.
18. In case the supplier does not deliver the goods according to the delivery schedule, he will be liable to pay 0.5% of the value of the goods not delivered according to schedule, as liquidated damages for delay of week or party thereof subject to maximum 5% of the value of goods not delivered, without prejudice to the right of NCAOR
19. In case an order placed by the NCAOR based on the quotation submitted by the supplier is not executed by him, the NCAOR may buy the ordered goods from elsewhere and recover, the additional amount if may have to spend in procuring the stores plus 10% to cover the incidental expenses.
20. All disputes arising in connection with executing the purchase order will be subject to the Jurisdiction of the Courts in Goa only.

Sd/-
Joint Manager (Procurement & Stores)
For and on behalf of Director, NCAOR

Tender No.: _____

ANNEXURE- II**PRICE BID FORMAT**

- To be quoted in the following format only on F.O.R, NCAOR, Vasco Da Gama, Goa Basis.

Sr. No.	Item Description & Specifications	Quantity	Unit rate Quoted in INR (after offering maximum discount)	Total (Col.1x Col.2)	GST Amount & % applied	Total Quoted Amount in INR (should not be more than MRP) (Col.3 + Col.4)
		(Col. 1)	(Col.2)	(Col.3)	(Col.4)	(Col.5)
	Supply & Installation of Modular Furniture Model as offered with the specifications as below or higher specifications:					
1.	Supply providing and installation of Spacio plus- tile based modular workstation of size, <ul style="list-style-type: none"> a)Penta workstation -1350 mm W1 x 1350mm W2 x 600mm d.-06 nos with following specifications: Providing and placing SPACIO PLUS tile based modular workstation, with partition thickness as 50mm thk and ht-1190 including powder coated aluminium trims Titles: Combination of tops tiles and fabric magnetic tile. Bottom tiles- Plain metal Wire Management- Skirting level raceway maintained in all panels and intermediate raceway below worktop. Side panels- out of 25mm thk prelam particle board with flat pvc lipping edge banding considered only on end and shared conditions. Worksurface- out of 25mm thk prelam particle board with flat PVC lipping edge banding of size 1350mm W1 x 1350mm W2 x 600mmd. Pedestals- Nova pedestal flat metal front, full ht free standing central locking of size 390mm W x 435mm d x 646mm ht 3dr=2 box +1 file CPU trolley- with castors KBPT with mouse tray- metal along with below, <ul style="list-style-type: none"> Nova metallic mobile pedestal 	06				

	<p>(free standing BBF(Box+Box+filling) of size 390mm w x 585mmd x 646 mmht</p> <ul style="list-style-type: none"> • Metal CPU trolley with castor • Metal key boar tray with mouse tray (KBPT) <p>Each work station (Recta and Penta) should also be provided with Electrical work per WS:- 06 module plate Roma-2 Nos.; 6A switch Roma-4 Nos.; 6A Socket Roma -4 Nos.; LAN Point-2 Nos.</p> <p>Other electrical fittings required:- CAT-6 wire with casing patti-50* Mtrs per workstation; Laying of Ups wire 3 x 4 Sq mm with casing patti-60* Mtrs; Considered for all workstations within the room;single pole M.C.B 16A(Legrand)-3 Nos within the room; 2pole M.C.B 32A (Wipro)-1 nos. Within the room; 8 way DB single phase-1Nos.Within the room</p>					
2	<p>Recta Workstation (Meeting Table)- 1500W x 900D mm with following specifications: Providing and placing LINEA DESK based modular workstation with system ht-750mm Understructure: Comprising of metal powder coated cross connectors between legs, legs made of metal powder coated finish and the entire assembly is fixed to the worktop with the help of ABS plastic spacers 20mm high which gives the floating look to the w/s Worksurface-out of 25mm thk prelam particle board with flat pvc lipping edge banding of size 1500MM W x 900 MMD</p>	01 No				
3	Wall mounting storages:-					
a	Store Up Total Size: 3900w (900 *4 + 300*1) x 326D x 785H	01 No				
b	Store up Total size: 1500w(600*2 +300*1)x 326D x 785H	01 No				
c	Store up Total size: 2400w(600*4) x 326D x 785H	01 No				
d	Store up Total size: 3000w(900*3 +300*1)x 326D x 785H	01 No				
4	Storwel plain Size: 1200W (400+800) x 400D x 2025H	02 Nos				
5	Regency medium back seat (PCH-7002) with seat and backrest are made up pf molded polyurethane	08 Nos				

	foam of right density and thickness, pneumatic height adjustable, center tilt mechanism, tilt locking system and with twin wheel castor Deminsions: Seat height from floor minimum 440mm and maximum 565mm, back ht. from floor minimum 805mm-maximum 925mm, seat depth 750mm , seat width (arms outer) 750mm, back ht. from seat 480mm and back width 430mm					
--	--	--	--	--	--	--

• **GSTN:** _____

1. Validity: 90 days from the due date of tender.

2. Delivery by (please indicate): on or before _____

Signature:

Designation:

Bidders Name with address & Seal:

Phone No.:

Email Address:

Date:

